

**TCB**

**GRANT OF EQUIPMENT  
AUTHORIZATION**

**TCB**

**Certification**

**Issued Under the Authority of the  
Federal Communications Commission**

**By:**

**MET Laboratories, Inc.  
914 W. Patapsco Avenue  
Baltimore, MD 21230-3432**

**Date of Grant: 05/09/2018**

**Application Dated: 05/09/2018**

**Guangdong Samzuk Technology Development Co,Ltd**

**High-Tech Zone**

**Xinggong Avenue East**

**Heyuan,**

**China**

**Attention: Jun Liu**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2AIOQ-FPCN30AA  
**Name of Grantee:** Guangdong Samzuk Technology Development Co,Ltd  
**Equipment Class:** Licensed Non-Broadcast Transmitter Held to Face  
**Notes:** Walkie talkie

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
EF	90	406.1 - 470.0	4.882	1.97 PM	7K54F3E
EF	90	406.1 - 470.0	0.545	1.97 PM	5K33F3E
EF	90	406.1 - 470.0	4.603	1.231 PM	10K24F3
EF	90	406.1 - 470.0	0.434	1.231 PM	10K51F3

Power output listed is conducted. The rated maximum and minimum power is 5W, 0.5W respectively. This device must be restricted to work-related operations only in an Occupational/Controlled RF exposure environment and must operate with a duty factor not exceeding 50%. This transmitter may operate with the antenna(s) documented in this filing in Push-to-Talk and body-worn configurations. RF exposure compliance is limited to the specific belt-clip and accessory configurations as documented in this filing and the separation distance between user and the device or its antenna shall be at least 2.5 cm. All qualified end-users of this device must have the knowledge to control their exposure conditions and/or duration to comply with Occupational/Controlled Exposure limit and requirements. A label, as described in this filing, must be displayed on the device to direct users to specific training information for meeting Occupational Exposure Requirements. The highest reported SAR values for Face-up and Body-worn accessory are 1.489 W/Kg and 3.348 W/Kg respectively.

EF:

This device may contain functions that are not operational in U.S Territories except as noted in the filing. This grant has extended frequencies as noted in the filing and Section 2.927(b) applies to this authorization.

